

# MICRO DRIVE SYSTEM



## TYPICAL DIMENSIONS (Metric)

Part of the Railtech Architectural Group

Finished Ceiling "A"	Beam Height "B"	Acoustic Barrier "C"	Pocket Depth "D"	Pocket Width "E"	Panel Height "F"	Wall Thickness
2135	2750	2500	365	1440	595	300
2160	2775	2525	365	1450	602	300
2185	2800	2550	365	1465	608	300
2210	2825	2575	365	1480	614	300
2235	2850	2600	365	1490	621	300
2260	2875	2625	365	1505	627	300
2285	2900	2650	365	1515	633	300
2310	2925	2675	365	1530	640	300
2335	2950	2700	365	1540	646	300
2360	2975	2725	365	1555	653	300
2390	3005	2755	365	1565	659	300
2415	3030	2780	365	1580	665	300
2440	3055	2805	365	1590	672	300
2465	3080	2830	365	1605	678	300
2490	3105	2855	365	1615	684	300
2515	3130	2880	365	1630	691	300
2540	3155	2905	365	1640	697	300
2565	3180	2930	365	1655	703	300
2590	3205	2955	365	1665	710	300
2615	3230	2980	365	1680	716	300
2640	3255	3005	365	1690	722	300
2665	3280	3030	365	1705	729	300
2690	3305	3055	365	1720	735	300
2715	3330	3080	365	1730	741	300
2740	3355	3105	365	1745	748	300

Measurements are based on a C200x80.

Walls ranging in length from 3605mm long to 10980mm long

Walls greater than 7315mm long - add an additional 25mm onto the beam height

**\* Beam Heights indicated may vary with wall size and motor size.**

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

November 2010

>> Click on icon to download drawing

Walls 11'-10" to 17'-0" long



Walls 17'-0" to 24'-0" long



4 Panels high -  
2135mm to 2740mm



Walls 24'-0" to 36'-0" long

